

Author index

Ahlenius, S. *see* Eltayb, A.
Ahtikoski, A.M., Koskinen, S.O.A., Virtanen, P., Kovanen, V. & Takala, T.E.S. Regulation of synthesis of fibrillar collagens in rat skeletal muscle during immobilization in shortened and lengthened positions, 131
Akima, H., Kubo, K., Imai, M., Kanehisa, H., Suzuki, Y., Gunji, A. & Fukunaga, T. Inactivity and muscle: effect of resistance training during bed rest on muscle size in the lower limb, 269
Akiyama, T. & Yamazaki, T. Effects of right and left vagal stimulation on left ventricular acetylcholine levels in the cat, 11
Andersen, O.K. *see* Terkelsen, A.J.
Arthur, P.G. *see* Christmass, M.A.

Bengtsson, U. *see* Sababi, M.
Berndt, T.J. *see* Kompanowska-Jezierska, E.
Berne, C. *see* Sarabi, M.
Besnard, N., Horne, E.A.L. & Whitehead, S.A. Prolactin and lipopolysaccharide treatment increased apoptosis and atresia in rat ovarian follicles, 17
Bhattacharya, S. *see* Sen, N.
Binder-Macleod, S.A. & Scott, W.B. Comparison of fatigue produced by various electrical stimulation trains, 195
Bryant, G.J. *see* Thom, J.M.

Cerretelli, P. *see* Grassi, B.
Choisy, S. *see* Léoty, C.
Christmass, M.A., Dawson, B., Goodman, C. & Arthur, P.G. Brief intense exercise followed by passive recovery modifies the pattern of fuel use in humans during subsequent sustained intermittent exercise, 39

Dawson, B. *see* Christmass, M.A.
Doolett, D.J., Upton, R.N. & Zheng, D. Diffusion-limited tissue equilibration and arteriovenous diffusion shunt describe skeletal muscle nitrous oxide kinetics at high and low blood flows in sheep, 167

Edgerton, V.R. *see* Oishi, Y.
Edman, K.A.P. *see* Sun, Y.-B.
Eltayb, A., Lindblom, S., Oerther, S. & Ahlenius, S. Additive hypothermic effects of the 5-HT_{1A} receptor agonist 8-OH-DPAT and the dopamine D_{2/3} receptor agonist 7-OH-DPAT in the rat, 205
Eriksson, M.J. *see* Fernqvist-Forbes, E.

Fasching, A. *see* Odlind, C.
Fernqvist-Forbes, E., Johansson, B.-L. & Eriksson, M.J. Effects of C-peptide on forearm blood flow and brachial artery dilatation in patients with type 1 diabetes mellitus, 159
Fonda, J.S. *see* Thom, J.M.
Fugmann, A. *see* Sarabi, M.
Fukashiro, S., Noda, M. & Shibayama, A. *In vivo* determination of muscle viscoelasticity in the human leg, 241
Fukunaga, T. Editorial, 239
Fukunaga, T. *see* Akima, H.
Fukunaga, T. *see* Nakazawa, K.

Fukunaga, T., Miyatani, M., Tachi, M., Kouzaki, M., Kawakami, Y. & Kanehisa, H. Muscle volume is a major determinant of joint torque in humans, 249
Glucksberg, M.R. *see* Sen, N.
Golding, S. *see* Mohan, R.M.
Goodman, C. *see* Christmass, M.A.
Grassi, B., Mognoni, P., Marzorati, M., Mattiotti, S., Marconi, C. & Cerretelli, P. Power and peak blood lactate at 5050 m with 10 and 30 s 'all out' cycling, 189
Gunji, A. *see* Akima, H.

Hansell, P. *see* Odlind, C.
Hansen, P.O. *see* Terkelsen, A.J.
Harmer, A.R. *see* Thom, J.M.
Hemlin, M. *see* Mellander, A.
Hleihel, W. *see* Léoty, C.
Hon, J.K.F., Steendijk, P., Khan, H., Wong, K. & Yacoub, M. Acute effects of pulmonary artery banding in sheep on right ventricle pressure-volume relations: relevance to the arterial switch operation, 97
Horne, E.A.L. *see* Besnard, N.
Horton, M.J. *see* Sciote, J.J.
Huchet-Cadiou, C. *see* Léoty, C.
Hultkvist Bengtsson, U. *see* Sababi, M.
Hunter, S.K. *see* Thom, J.M.

Imai, M. *see* Akima, H.
Ishihara, A. *see* Oishi, Y.

Jans De Jonge, X.A.K. *see* Thom, J.M.
Järbör, K. *see* Mellander, A.
Jensen, T.S. *see* Terkelsen, A.J.
Ji, L.L. *see* Leichtweis, S.
Johansson, B.-L. *see* Fernqvist-Forbes, E.

Kanehisa, H. *see* Akima, H.
Kanehisa, H. *see* Fukunaga, T.
Karlström, B. *see* Sarabi, M.
Kawakami, Y. *see* Fukunaga, T.
Khan, H. *see* Hon, J.K.F.
Knox, F.G. *see* Kompanowska-Jezierska, E.
Kompanowska-Jezierska, E., Berndt, T.J. & Knox, F.G. Prostaglandin E₂ concentrations in rat cortical and medullary interstitium: effect of volume expansion and renal perfusion pressure, 287
Koskinen, S.O.A. *see* Ahtikoski, A.M.
Kouzaki, M. *see* Fukunaga, T.
Kovanen, V. *see* Ahtikoski, A.M.
Kubo, K. *see* Akima, H.

Leichtweis, S. & Ji, L.L. Glutathione deficiency intensifies ischaemia-reperfusion induced cardiac dysfunction and oxidative stress, 1
Léoty, C., Huchet-Cadiou, C., Talon, S., Choisy, S. & Hleihel, W. Caffeine stimulates the reverse mode of Na⁺/Ca²⁺ exchanger in ferret ventricular muscle, 27
Lind, L. *see* Sarabi, M.
Lindblom, S. *see* Eltayb, A.
Liss, P. *see* Odlind, C.

Lithell, H. *see* Sarabi, M.
 Lou, F. *see* Sun, Y.-B.

Maganaris, C.N. Force-length characteristics of *in vivo* human skeletal muscle, 279
 Marconi, C. *see* Grassi, B.
 Marzorati, M. *see* Grassi, B.
 Mathai, M.L., Thomson, C.E. & McKinley, M.J. Influence of ruminal water-loading on renal sodium excretion and water intake following feeding in sheep, 149
 Matsumoto, H. *see* Oishi, Y.
 Mattiotti, S. *see* Grassi, B.
 McKinley, M.J. *see* Mathai, M.L.
 Mellander, A., Järbur, K., Hemlin, M. & Sjövall, H. Effects of motility on epithelial transport in the human descending duodenum, 69
 Miyatani, M. *see* Fukunaga, T.
 Mognoni, P. *see* Grassi, B.
 Mohan, R.M., Golding, S. & Paterson, D.J. Intermittent hypoxia improves atrial tolerance to subsequent anoxia and reduces stress protein expression, 89

Nakazawa, K., Yamamoto, S.-I., Ohtsuki, T., Yano, H. & Fukunaga, T. Neural control: novel evaluation of stretch reflex sensitivity, 257
 Noda, M. *see* Fukashiro, S.

Odlind, C., Fasching, A., Liss, P., Palm, F. & Hansell, P. Changing dopaminergic activity through different pathways: consequences for renal sodium excretion, regional blood flow and oxygen tension in the rat, 219
 Oerther, S. *see* Eltayb, A.
 Ohira, Y. *see* Oishi, Y.
 Ohtsuki, T. *see* Nakazawa, K.
 Oishi, Y., Ishihara, A., Talmadge, R.J., Ohira, Y., Taniguchi, K., Matsumoto, H., Roy, R.R. & Edgerton, V.R. Expression of heat shock protein 72 in atrophied rat skeletal muscles, 123

Palm, F. *see* Odlind, C.
 Pascoe, G. *see* Sciote, J.J.
 Paterson, D.J. *see* Mohan, R.M.

Roy, R.R. *see* Oishi, Y.
 Ruell, P.A. *see* Thom, J.M.
 Ryder, J.W. *see* Widegren, U.

Sababi, M., Hultkvist Bengtsson, U. Enhanced intestinal motility influences absorption in anaesthetized rat, 115
 Sarabi, M., Fugmann, A., Karlström, B., Berne, C., Lithell, H. & Lind, L. An ordinary mixed meal transiently impairs endothelium-dependent vasodilation in healthy subjects, 107
 Sciote, J.J., Horton, M.J., Zyman, Y. & Pascoe, G. Differential effects of diminished oestrogen and androgen levels on development of skeletal muscle fibres in hypogonadal mice, 179

Scott, W.B. *see* Binder-Macleod, S.A.
 Sen, N., Glucksberg, M.R. & Bhattacharya, S. 5-Hydroxytryptamine-induced microvascular pressure transients in lungs of anaesthetized rabbits, 81
 Shibayama, A. *see* Fukashiro, S.
 Sjövall, H. *see* Mellander, A.
 Song, X., Vaage, J. & Valen, G. The role of neuronal nitric oxide synthase in ischaemia-reperfusion injury of the isolated mouse heart, 291
 Stauber, W.T. *see* Willems, M.E.T.
 Steendijk, P. *see* Hon, J.K.F.
 Sun, Y.-B., Lou, F. & Edman, K.A.P. 2,3-Butanedione monoxime increases speed of relaxation in single muscle fibres of frog, 53
 Suzuki, Y. *see* Akima, H.

Tachi, M. *see* Fukunaga, T.
 Takala, T.E.S. *see* Ahtikoski, A.M.
 Talmadge, R.J. *see* Oishi, Y.
 Talon, S. *see* Léoty, C.
 Taniguchi, K. *see* Oishi, Y.
 Terkelsen, A.J., Andersen, O.K., Hansen, P.O. & Jensen, T.S. Effects of heterotopic- and segmental counter-stimulation on the nociceptive withdrawal reflex in humans, 211
 Thom, J.M., Thompson, M.W., Ruell, P.A., Bryant, G.J., Fonda, J.S., Harmer, A.R., Janse De Jonge, X.A.K. & Hunter, S.K. Effect of 10-day cast immobilization on sarcoplasmic reticulum calcium regulation in humans, 141
 Thompson, M.W. *see* Thom, J.M.
 Thomson, C.E. *see* Mathai, M.L.

Upton, R.N. *see* Doolette, D.J.

Vaage, J. *see* Song, X.
 Valen, G. *see* Song, X.
 Virtanen, P. *see* Ahtikoski, A.M.

Whitehead, S.A. *see* Besnard, N.
 Widegren, U., Ryder, J.W. & Zierath, J.R. Mitogen-activated protein kinase signal transduction in skeletal muscle: effects of exercise and muscle contraction, 227
 Willems, M.E.T. & Stauber, W.T. Force deficits after repeated stretches of activated skeletal muscles in female and male rats, 63
 Wong, K. *see* Hon, J.K.F.

Yacoub, M. *see* Hon, J.K.F.
 Yamamoto, S.-I. *see* Nakazawa, K.
 Yamazaki, T. *see* Akiyama, T.
 Yano, H. *see* Nakazawa, K.

Zheng, D. *see* Doolette, D.J.
 Zierath, J.R. *see* Widegren, U.
 Zyman, Y. *see* Sciote, J.J.

Subject index

5-HT_{1A} receptors, 205
absorption, 115
acivicin, 1
anaesthetized cat, 11
androgen, 179
angiotensin, 149
anrep effect, 97
apoptosis, 17
arginine vasopressin, 149
arterial dilation, 159
arterial switch operation, 97
atria, 89
atrophy, 123, 141

BDM, 53
bicarbonate absorption, 69
blood flow, 107
L-buthionine [S,R] sulphoximine, 1

Ca²⁺ influx, 27
Ca²⁺ transient, 53
calcium ATPase, 141
calcium release, 141
calcium uptake, 141
carbohydrate, 39
cardiac ganglia, 11
cardiomyoplasty, 195
carnitine, 39
chloride secretion, 69
chronic hypoxia, 189
cold-pressor test, 211
collagen, 131
compensatory vasodilation, 81
computer-assisted numerical analysis, 167
COMT, 219
conductance catheter, 97
core temperature, 205
crossbridges, 53

denervation, 123
dextran, 149
diffusion, 167
L-dopa, 219
dopamine D_{2/3} receptors, 205
dopamine, 219
doublets, 195
duodenum, 69, 115

eccentric contraction, 63
ejection fraction, 159
elbow muscles, 257
electrical stimulation, 279
endothelial function, 159
endothelium, 107
end-systolic pressure–volume relation, 97
exercise, 227
extracellular signal-regulated kinase, 227

fat, 39
fenoldopam, 219
fibre types, 179
force, 53, 63
force–velocity relation, 53
free vibration technique, 241
functional electrical stimulation, 195

gender, 63
gene expression, 227
glutathione, 1
glyceryl trinitrate, 159
granulosa cells, 17

heat shock protein, 89, 123
heterotopic and segmental counter-stimulation, 211
hind limb unloading, 123
hind limb muscles, 63
homeometric autoregulation, 97
Hsp70, 89
Hsp90, 89
human C-peptide, 159
human quadriceps muscle, 195
human triceps surae, 241
human, 269
humans, 211
hydroxyproline, 131
hypogonadism, 179
hypovolaemia, 149
hypoxia/anoxia, 89

immobilization, 131, 141
inactivity, 269
insulin-dependent diabetes mellitus, 159
intermittent exercise, 39
intestinal motility, 69
ischaemia-reperfusion injury, 291

joint torque, 249

lactate paradox, 189
left ventricle, 11
lipids, 107
lipopolysaccharide, 17
low-sodium contracture, 27
lung micropuncture, 81

macrophages, 17
magnetic resonance imaging, 269, 279
mammalian heart, 27
metabolism, 39
methylxanthine, 27
microdialysis, 11
mitogen-activated protein kinase, 227
mixed meal, 107
monoamine oxidase, 219
motility, 115

mRNA, 131
muscle contraction, 227
muscle damage, 63
muscle fatigue, 195
muscle size, 269
muscle strength, 141
muscle stretch, 257
muscle volume, 249
myocardial infarction, 291
myocardial ischaemia-reperfusion, 1
myosin, 179

neuronal nitric oxide synthase, 291
nitric oxide, 107, 291
nitrous oxide, 167
nociceptive withdrawal reflex, 211

oestrogen, 179
osmoregulation, 149
oxidative stress, 1
oxygen, 219

perfusion, 167
 PGE_2 , 287
plantaris, 123
pre- and post-ganglionic vagal nerves, 11
prolactin, 17
prolyl 4-hydroxylase, 131
pulmonary artery banding, 97
pulmonary circulation, 81

rat, 115, 123, 131
rats, 63, 205
RBF, 219
reactive hyperaemia, 159
recovery, 63

renal cortex, 287
renal medulla, 287
renin, 149
right ventricular function, 97

sarcomere, 279
sarcoplasmic reticulum, 141
segmental pressures, 81
servonull method, 81
sheep, 167
skeletal muscle, 53, 131, 167
sodium absorption, 69
sodium, 219
soleus, 123, 279
specific tension, 249
square-wave current analysis, 69
stimulation frequency, 63
stress-activated protein kinase, 227
stretch reflex, 257
stretch, 131
supramaximal exercise, 189

tenotomy, 123
thirst, 149
tibialis anterior, 279
transposition of great arteries, 97
treadmill running, 39
tumour necrosis factor α , 291

ultrasonography, 257, 279
ultrasound Doppler technique, 159
ultrasound, 249

vasodilation, 107
viscoelastic characteristics, 241

